



Condor Gold plc

7th Floor
39 St. James's Street
London
SW1A 1JD
Telephone +44 020 74081067
Fax: +44 020 74938633

24th October 2012

Condor Gold plc
("Condor" or "the Company")

Condor Gold plc receives approval from Department of Mines for the transfer of La Mojarra Concession to Condor's Nicaragua subsidiary.

Condor (AIM:CNR), a gold exploration company focused on delineating a large commercial resource on its 100%-owned La India Project in Nicaragua is pleased to announce that, pursuant to the Agreement announcement on 11th October 2012, the Director General of the Department of Mines has approved the transfer of the 27sq km La Mojarra Concession (the "Concession") to Condor's wholly owned, Nicaraguan subsidiary La India Gold S.A. Under the terms of the Agreement the said approval triggers a US\$240,000 payment, which has been paid in cash. The addition of La Mojarra Concession increases the Company's La India Project by 27km² to 194km² contained within seven contiguous wholly owned concessions.

La Mojarra Concession lies along strike to the South of the India-California Vein trend. Gold mineralisation at the southern end of the India-California veins does not reach surface, however significant gold intercepts have been defined at depths from 50m below surface with intercepts such as 21.08m (16.1m true width) at 10.24g/t gold from 193.80m drill depth in drillhole LIDC152 (see RNS dated 29th August 2012) located 500m from the La Mojarra Concession boundary. Gold mineralisation on the India Vein remains open to depth and along strike below surface, and it is highly conceivable that the mineralisation continues into La Mojarra Concession. In addition to the potential strike extension of the La India Structure, the Company is encouraged by surface geological features that suggest that there is the potential for the discovery of significant buried gold mineralisation as La Mojarra Concession lies to the south of a regional fault running south-west to north-east and represents the downward thrust of the fault line.

The Company plans to undertake a regional rock chip, soil sampling, geophysics and geological mapping programme on the La Mojarra Concession in order to target deep exploratory drilling locations for potential buried gold deposits.

Ends

Competent Person's Declaration

The information in this announcement that relates to the mineral potential, geology, Exploration Results and database is based on information compiled by and reviewed by Dr Luc English, the Country Exploration Manager, who is a Chartered Geologist and Fellow of the Geological Society of London, and a geologist with seventeen years of experience in the exploration and definition of precious and base metal Mineral Resources. Luc English is a full-time employee of Condor Gold plc and has sufficient experience which is relevant to the style of mineralization and type of deposit under consideration, and to the type of activity which he is undertaking to qualify as a Competent Person as defined in the June 2009 Edition of the AIM Note for Mining and Oil & Gas Companies. Luc English consents to the inclusion in the announcement of the matters based on their information in the form and context in which it appears and confirms that this information is accurate and not false or misleading.

- Ends -

For further information please visit www.condorgold.com or contact:

Condor Gold plc	Mark Child, Executive Chairman and CEO +44 (0) 20 7408 1067	Luc English, Country Manager Nicaragua & El Salvador +505 8854 0753
Beaumont Cornish Limited	Roland Cornish. James Biddle +44 (0) 20 7628 3396	
Ocean Equities Limited	Will Slack +44 (0) 20 77864385	
Farm Street Media	Simon Robinson +44 (0) 7593 340107	

About Condor Gold plc:

Condor Gold plc is an AIM listed exploration company focused on developing gold and silver resource projects in Central America. The Company was admitted to AIM on 31st May 2006 with the stated strategy to prove up JORC Resources in Nicaragua and El Salvador. Condor has six 100% owned concessions in La India Mining District ("La India Project"); three 100% owned concessions in three other project areas and 20% in the Cerro Quiroz concession in Nicaragua. In El Salvador, Condor has 90% ownership of four licences in two project areas.

Condor's concession holdings in Nicaragua currently contain an attributable CIM/JORC compliant resource base of 2,497,000 ounces of gold equivalent at 4.6g/t in Nicaragua and an attributable 973,000 oz gold equivalent at 2.6g/t JORC compliant resource base in El Salvador. The Resource calculations are compiled by independent geologists SRK Consulting (UK) Limited for Nicaragua, and Ravensgate and Geosure for El Salvador.

Disclaimer

Neither the contents of the Company's website nor the contents of any website accessible from hyperlinks on the Company's website (or any other website) is incorporated into, or forms part of, this announcement.

Technical Glossary

Assay	The laboratory test conducted to determine the proportion of a mineral within a rock or other material. Usually reported as parts per million which is equivalent to grams of the mineral (i.e. gold) per tonne of rock
CIM Code	The reporting standard adopted for the reporting of the Mineral Resources is that defined by the terms and definitions given in the terminology, definitions and guidelines given in the Canadian Institute of Mining, Metallurgy and Petroleum (CIM) Standards on Mineral Resources and Mineral Reserves (December 2005) as required by NI 43-101. The CIM Code is an internationally recognised reporting code as defined by the Combined Reserves International Reporting Standards Committee
Dip	A line directed down the steepest axis of a planar structure including a planar ore body or zone of mineralisation. The dip has a measurable direction and inclination from horizontal.
Down-dip	Further down towards the deepest parts of an ore body or zone of mineralisation
Foot wall	The rock adjacent to and below an ore or mineralised body or geological fault. Note that on steeply-dipping tabular ore or mineralised bodies the foot wall will be inclined nearer to the vertical than horizontal.
Grade	The proportion of a mineral within a rock or other material. For gold mineralisation this is usually reported as grams of gold per tonne of rock (g/t)
g/t	grams per tonne
Inferred Mineral Resource	That part of a Mineral Resource for which tonnage, grade and mineral content can be estimated with a low level of confidence. It is inferred from geological evidence and assumed but not verified geological and/or grade continuity. It is based on information gathered through appropriate techniques from locations such as outcrops, trenches, pits, workings and drill holes that may be limited, or of uncertain quality and reliability
Indicated resource	that part of a Mineral Resource for which tonnage, densities, shape, physical characteristics, grade and mineral content can be estimated with a reasonable level of confidence. It is based on exploration, sampling and testing information gathered through appropriate techniques from locations such as outcrops, trenches, pits, workings and drill holes. The locations are too widely or inappropriately spaced to confirm geological and/or grade continuity but are spaced closely enough for continuity to be assumed
Intercept	Refers to a sample or sequence of samples taken across the entire width or an ore body or mineralized zone. The intercept is described by the entire thickness and the average grade of mineralisation
JORC	Australian Joint Ore Reserves Committee, common reference to the Australasian Code for reporting of identified mineral resources and ore reserves
koz	Thousand troy ounces
kt	Thousand tonnes
Mineral Resource	A concentration or occurrence of material of economic interest in or on the Earth's crust in such a form, quality, and quantity that there are reasonable and realistic prospects for eventual economic extraction. The location, quantity, grade, continuity and other geological characteristics of a Mineral Resource are known, estimated from specific geological knowledge, or interpreted from a well constrained and portrayed geological model
Open pit mining	A method of extracting minerals from the earth by excavating downwards from the surface such that the ore is extracted in the open air (as opposed to underground mining).
oz	Troy ounce, equivalent to 31.103477 grams
Quartz veins	Deposit of quartz rock that develop in fractures and fissures in the surrounding rock. They are deposited by saturated geothermal liquids rising to the surface through the cracks in the rock and then cooling, taking on the shape of the cracks that they fill.
Strike length	The longest horizontal dimension of an ore body or zone of mineralisation.
True width	The shortest axis of a 3 dimensional object (i.e. ore/mineralised body), usually perpendicular to the longest plane. This often has to be calculated where channel or drill sampling was not exactly perpendicular to the long axis. The true width will always be less than the apparent width of an obliquely intersect sample.
Mt	Million tonnes
Vein	A sheet-like body of crystallised minerals within a rock, generally forming in a discontinuity or crack between two rock masses. Economic concentrations of gold are often contained within vein minerals.